



COMCOR ATF-DCG

Double-Clutch Gear Oil

Description:

COMCOR ATF-DCG is a high-performance dual-clutch transmission oil produced on the basis of selected synthetic base oils in combination with modern additives, suitable for the latest generation of DSG gearboxes.

COMCOR ATF-DCG has been adapted to the special requirements of modern, oil-immersed dual clutch transmissions. It ensures slip-free transmission of high torque, and allows spontaneous and sporty gear changes over the whole service interval.

Properties

- Extrem wear protection
- High thermo stability
- Excellent viscosity-temperature behaviour
- Low pour point
- Foamless, even under harsh conditions
- High oxidation stability
- High load capacity
- Optimal friction characteristic
- Neutral towards metals and sealing materials

Effects

- Optimal operating reliability at extreme conditions
- Excellent flow flexibility at low temperatures
- Best lubrication
- Relatively universally usable, when changing the lubricant to this product, thoroughly clean the transmission and first flush with **COMCOR ATF-DCG** before finally filling.
- All-year operation

Suitable for/ we recommend this product for

Utilization

Data are subject to change.

Attention: Service instructions should be observed!

KL/GE/AU/-
09/2022

We recommend this product for:	
VW/AUDI/SEAT/SKODA	G 052 182 A2/A6 (TL 52 182), G 052 529 A2/A6 (TL 52 529), G 055 529 (TL 52 529-C)
VW (AUDI, SEAT, SKODA)	6-Speed
VW/AUDI	G 052 512, DSG 7=S-tronic 7 / 7-Speed
VW	G 052 536, 055 536
BMW	DCTF-1 (83 220 440 214), MTF-LT -5 (83 22 2167 666), 83 22 0397 244, 83 22 2147 477, 83 22 2148 578, 83 22 2148 579, 83 22 2446 673
BUGATTI VEYRON	
BYD	DCTs, Q/Byd-A 1909.0058-2013
CHANGAN	DCTF
CHRYSLER	Powershift 6-Speed (Getrag) 68044345 EA & GA
CITROEN / PEUGEOT	6DCT451 PSA 9734 S2)
DCT	Transmissionoil for ZF
EATON	PS-278
FERRARI	TF DCT-F3
FIAT	9.55550-MZ6
FORD	WSS-M2C200-D2/XT-11-QDC, WSS-M2C218-1A, -F-DC, part#KU7J M2C218AA
FORD/NISSAN	WSS-M2C936-A, WSS-M2C200-D2, Powershift 6-Speed (GFT)
GEELY	7 Speed
MB	236.25, 236.21, 236.24
MITSUBISHI	Diamond Queen SSTF-1, TC-SST 6 Speed (GFT)
PEUGEOT / CITROEN	DCS 6-Speed, 9734.S2
PORSCHE	000 043 207 29, 000 043 207 30, 000 043 210 44, 000 043 20, 000 043 305 13, 971 094 307 02A, 999 917 080 00
RENAULT	BOT 450, EDC 6-Speed (Getrag)
VOLVO	1161838, 116839, Powershift 6-Speed (GFT)
ZF	TE-ML 11 (ZF004743)

- Vehicle double-clutch gearbox passenger cars according to manufacturer's instructions

Disposal:

- **COMCOR ATF-DCG** is assigned to category 2 of used oils and thus is free for disposal.

Miscibility:

- To ensure perfect operation, **COMCOR ATF-DCG** should not be used mixed with other transmission oils.

COMCOR ATF-DCG

Article No.	Packaging unit	
303 692	Can	1 L
303 695	Can	20 L
303 696	Drum	60 L
303 698	Drum	200 L

Typical characteristics:

Specific weight at 15°C	kg/m ³	847
Brookfield-Viscosity at -40°C	mPa.s	< 18000
Viscosity at 40°C	mm ² /s	36
Viscosity at 100°C	mm ² /s	7
Viscosity index		158
Flash point COC	°C	
>200	Pourpoint	°C

