

Printing date 13.04.2023 Version number 3 Revision: 13.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: DELTA SYN 2-T

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture 2 stroke engine oil
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Kuttenkeuler GmbH

Dieselstraße 10

50996 Köln

Germany

vertrieb.schmierstoffe@kuttenkeuler.com

· Further information obtainable from:

Product safety department Tel: +49 (0) 2236 96203-0 Fax: +49 (0) 2236 96203-27 E-Mail: msds@kuttenkeuler.com

• 1.4 Emergency telephone number:

Informationszentrale gegen Vergiftungen

des Landes Nordrhein-Westfalen

Tel.: +49 (0) 228 / 19 240

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)dihydroxide tricalcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)-methylamine)tri-hydroxide poly[calcium ((2-hydroxy-5-tetra-propenylphenylmethyl)-methylamine)hydroxide]. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture: consisting of the following components.

Dangerous	components:	
64742-47-8	Distillates (petroleum), hydrotreated light	11-≤19,49%
	♦ Asp. Tox. 1, H304	
	A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)	
	methylamine)dihydroxide tri-calcium (tris(2-hydroxy-5-tetra-	
	propenylphenylmethyl)-methylamine)tri-hydroxide poly[calcium ((2-hydroxy-5-	
	tetra-propenylphenylmethyl)-methylamine)hydroxide]	
	🗘 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	

on page 2

Printing date 13.04.2023 Version number 3 Revision: 13.04.2023

Trade name: DELTA SYN 2-T

(Contd. of page 1)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Take affected persons out of danger area and lay down.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Remove from the water surface (e.g. skim or suck off).

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Avoid the formation of oil haze.
- · Information about fire and explosion protection:

No special measures required.

Keep ignition sources away - Do not smoke.

(Contd. on page 3)

Printing date 13.04.2023 Version number 3 Revision: 13.04.2023

Trade name: DELTA SYN 2-T

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- $\cdot \textbf{Information about storage in one common storage facility:} \ Store \ away \ from \ foodstuffs.$
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) Coolant

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

64742-47-8 Distillates (petroleum), hydrotreated light

AGW (Germany) Vgl. Nr. 2.9, AGS, Y

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment





- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection

Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

Oil resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR

- · Not suitable are gloves made of the following materials: Leather gloves
- · Eye/face protection Goggles recommended during refilling
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Physical state Fluid

Colour: Red

(Contd. on page 4)

Printing date 13.04.2023 Version number 3 Revision: 13.04.2023

Trade name: DELTA SYN 2-T

(Contd. of page 3) · Odour: Mineral-oil-like Not determined. · Odour threshold: -39 °C · Melting point/freezing point: · Boiling point or initial boiling point and boiling range Undetermined. · Flammability Not applicable. · Lower and upper explosion limit · Lower: 0,6 Vol % · Upper: 6,5 Vol % 143 °C · Flash point: · Decomposition temperature: Not determined. · Viscosity: · Kinematic viscosity at 40 °C $71 \text{ mm}^2/\text{s}$ · Dynamic: Not determined. ·Solubility Not miscible or difficult to mix. · water: Not determined. · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: · Density and/or relative density · Density at 15 °C: 0,865 g/cm³ Not determined. · Relative density Not determined. · Vapour density · 9.2 Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. Product is not selfigniting. · Auto-ignition temperature: Product does not present an explosion hazard. · Explosive properties: · Solvent content: 0,00 % · VOC (EC) · Change in condition Not determined. · Evaporation rate · Information with regard to physical hazard classes ·Explosives Void · Flammable gases Void Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable Void gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 5)

Printing date 13.04.2023 Version number 3 Revision: 13.04.2023

Trade name: DELTA SYN 2-T

(Contd. of page 4)

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.
- · 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

64742-47-8 Distillates (petroleum), hydrotreated light

 Oral
 LD50
 >5.000 mg/kg (rat)

 Dermal
 LD50
 >5.000 mg/kg (rabbit)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability Not easily biodegradable
- · 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- ·Recommendation

When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.

(Contd. on page 6)

(Contd. of page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.04.2023 Version number 3 Revision: 13.04.2023

Trade name: DELTA SYN 2-T

Delivery of waste oil to offically authorised collectors only.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 7)

Printing date 13.04.2023 Version number 3 Revision: 13.04.2023

Trade name: DELTA SYN 2-T

(Contd. of page 6)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

· Department issuing SDS: Product safety department

· Contact: -

· Date of previous version: 25.08.2021

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.

DE