

Printing date 31.05.2023

Version number 2

Revision: 31.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: JANUS GL 4

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Gear oil

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Kuttenkeuler GmbH Dieselstraße 10 50996 Köln Germany vertrieb.schmierstoffe@kuttenkeuler.com

• Further information obtainable from: Product safety department

Tel: +49 (0) 2236 96203-0 Fax: +49 (0) 2236 96203-27 E-Mail: msds@kuttenkeuler.com

· 1.4 Emergency telephone number:

Informationszentrale gegen Vergiftungen des Landes Nordrhein-Westfalen

Tel.: +49 (0) 228 / 19 240

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

[·] Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Preparation from base oils and various additives.

| components: | |
|--|---|
| Reaktionsprodukt aus Aminobenzol, N-Phenol | 0-≤2,5% |
| und verzweigtem Nonan | |
| Aquatic Chronic 4, H413 | |
| Distillates (petroleum), hydrotreated light paraffinic | 0-≤2,5% |
| 🗞 Asp. Tox. 1, H304 | |
| Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl | |
| Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens. 1B, H317 | |
| | Reaktionsprodukt aus Aminobenzol, N-Phenol und verzweigtem Nonan Aquatic Chronic 4, H413 Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1, H304 Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin |

Printing date 31.05.2023

Version number 2

Revision: 31.05.2023

Trade name: JANUS GL 4

· Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 1)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- \cdot General information: Take affected persons out of danger area and lay down.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- \cdot After skin contact: Immediately wash with water and soap and rinse thoroughly.
- \cdot After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

- Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

carbon monoxide and carbon dioxide

- · 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Keep people at a distance and stay on the windward side.
- 6.2 Environmental precautions:
- Prevent from spreading (e.g. by damming-in or oil barriers).
- Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Remove from the water surface (e.g. skim or suck off).

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- •7.1 Precautions for safe handling Avoid the formation of oil haze.
- · Information about fire and explosion protection: No special measures required.

·7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 3)

Printing date 31.05.2023

Version number 2

Revision: 31.05.2023

(Contd. of page 2)

Trade name: JANUS GL 4

• Further information about storage conditions: Storage in a collecting room is required. · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment



General protective and hygienic measures:

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

· Respiratory protection: Suitable respiratory protective device recommended.

· Hand protection

Oil resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

PVC gloves

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

| SECTION 9: Physical and chemica | l properties |
|--|--------------|
|--|--------------|

| • 9.1 Information on basic physical and chemica | al properties | |
|---|------------------|------|
| · General Information | | |
| · Physical state | Fluid | |
| · Colour: | Brown | |
| · Odour: | Mineral-oil-like | |
| · Odour threshold: | Not determined. | |
| Melting point/freezing point: | Undetermined. | |
| • Boiling point or initial boiling point and boilin | ng | |
| range | Undetermined. | |
| · Flammability | Not applicable. | |
| • Lower and upper explosion limit | | |
| · Lower: | 0,6 Vol % | |
| · Upper: | 6,5 Vol % | |
| · Flash point: | 228 °C | |
| · Decomposition temperature: | Not determined. | |
| | (Contd. on pa | ae / |

Printing date 31.05.2023

Version number 2

Revision: 31.05.2023

Trade name: JANUS GL 4

| | (Contd. of page 2 | |
|---|---|--|
| · Viscosity: | | |
| Kinematic viscosity at 40 °C | 50,4 mm ² /s | |
| · Dynamic: | Not determined. | |
| · Solubility | | |
| · water: | Not miscible or difficult to mix. | |
| · Partition coefficient n-octanol/water (log value) | Not determined. | |
| · Vapour pressure: | Not determined. | |
| · Density and/or relative density | | |
| · Density at 20 °C: | 0,851 g/cm ³ | |
| · Relative density | Not determined. | |
| · Vapour density | Not determined. | |
| • 9.2 Other information | | |
| · Appearance: | | |
| · Form: | Fluid | |
| · Important information on protection of health and | nd | |
| environment, and on safety. | | |
| · Ignition temperature: | Product is not selfigniting. | |
| · Explosive properties: | Product does not present an explosion hazard. | |
| · Change in condition | | |
| · Softening point/range | | |
| · Pour point | -45 °C (ASTM D97) | |
| · Evaporation rate | Not determined. | |
| · Information with regard to physical hazard class | | |
| ·Explosives | Void | |
| · Flammable gases | Void | |
| · Aerosols | Void | |
| · Oxidising gases | Void | |
| · Gases under pressure | Void | |
| · Flammable liquids | Void | |
| · Flammable solids | Void | |
| · Self-reactive substances and mixtures | Void | |
| · Pyrophoric liquids | Void | |
| · Pyrophoric solids | Void | |
| · Self-heating substances and mixtures | Void | |
| · Substances and mixtures, which emit flammable | | |
| gases in contact with water | Void | |
| · Oxidising liquids | Void | |
| · Oxidising solids | Void | |
| · Organic peroxides | Void | |
| · Corrosive to metals | Void | |
| · Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.

• 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. on page 5)

DE

Printing date 31.05.2023

Version number 2

Revision: 31.05.2023

Trade name: JANUS GL 4

(Contd. of page 4)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- \cdot Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: Ratte oral : 900 mg/kg
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity Based on available data, the classification criteria are not met.
- \cdot Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Heavily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.

Delivery of waste oil to offically authorised collectors only.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

· Uncleaned packaging:

 \cdot Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 31.05.2023

Version number 2

Revision: 31.05.2023

Trade name: JANUS GL 4

(Contd. of page 5)

| SECTION 14: Transport informati | ion | |
|--|-----------------------------|--|
| · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| 14.4 Packing group ADR, IMDG, IATA | Void | |
| · 14.5 Environmental hazards: · Marine pollutant: | No | |
| · 14.6 Special precautions for user | Not applicable. | |
| • 14.7 Maritime transport in bulk according instruments | g to IMO Not applicable. | |
| · UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

- H318 Causes serious eye damage.
- H411 Toxic to aquatic life with long lasting effects.

Printing date 31.05.2023

Version number 2

Revision: 31.05.2023

Trade name: JANUS GL 4

| | (Contd. of page |
|---|--------------------------------|
| H413 May cause long lasting harmful effects to aquatic life. | |
| Department issuing SDS: Product safety department | |
| Contact: - | |
| Date of previous version: 03.09.2021 | |
| Abbreviations and acronyms: | |
| ADR: Accord relatif au transport international des marchandises dangereuses par route (Er | uropean Agreement Concerning t |
| International Carriage of Dangerous Goods by Road) | 1 0 0 |
| IMDG: International Maritime Code for Dangerous Goods | |
| ATA: International Air Transport Association | |
| GHS: Globally Harmonised System of Classification and Labelling of Chemicals | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| Acute Tox. 4: Acute toxicity – Category 4 | |
| Eye Dam. 1: Serious eye damage/eye irritation – Category 1 | |
| Skin Sens. 1B: Skin sensitisation – Category 1B | |
| Asp. Tox. 1: Aspiration hazard – Category 1 | |
| Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 | |
| Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4 | |
| * Data compared to the previous version altered. | |