

Printing date 01.06.2023

# Version number 3

Revision: 01.06.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier

· Trade name: METRON GL 4

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Gear oil

## · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Kuttenkeuler GmbH Dieselstraße 10 50996 Köln Germany vertrieb.schmierstoffe@kuttenkeuler.com

#### · Further information obtainable from: Product safety department

Tel: +49 (0) 2236 96203-0 Fax: +49 (0) 2236 96203-27 E-Mail: msds@kuttenkeuler.com

## · 1.4 Emergency telephone number:

Informationszentrale gegen Vergiftungen des Landes Nordrhein-Westfalen

Tel.: +49 (0) 228 / 19 240

# **SECTION 2: Hazards identification**

## · 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

#### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- Contains Alkylamine C12 C14, Reaktionsprodukt mit Hexanol, Phosphorpentoxid, Phosphorsulfid und Propylenoxid. May produce an allergic reaction.
- · 2.3 Other hazards

### · Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Preparation from base oils and various additives.

· Dangerous components:	
Methacrylate Copolymer	≤1%
(1) Eye Irrit. 2, H319	
Alkylamine C12_C14, Reaktionsprodukt mit Hexanol, Phosphorpentoxid, Phosphorsulfid und	≤1%
Propylenoxid	
Eye Dam. 1, H318;  Aquatic Chronic 2, H411;  Skin Sens. 1, H317	
• Additional information: For the wording of the listed hazard phrases refer to section 16.	

(Contd. on page 2)

Printing date 01.06.2023

Version number 3

Revision: 01.06.2023

## Trade name: METRON GL 4

(Contd. of page 1)

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · General information: Take affected persons out of danger area and lay down.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- $\cdot$  After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: carbon monoxide and carbon dioxide Sulphur dioxide (SO2)
- · 5.3 Advice for firefighters
- Protective equipment:
- Wear fully protective suit.

Wear self-contained respiratory protective device.

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

- Keep people at a distance and stay on the windward side.
- · 6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Remove from the water surface (e.g. skim or suck off). Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- •7.1 Precautions for safe handling Avoid the formation of oil haze.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.

(Contd. on page 3)

DE

Printing date 01.06.2023

Version number 3

Revision: 01.06.2023

(Contd. of page 2)

Trade name: METRON GL 4

• 7.3 Specific end use(s) No further relevant information available.

**SECTION 8: Exposure controls/personal protection** 

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment



## · General protective and hygienic measures:

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

· Respiratory protection: Suitable respiratory protective device recommended.

- · Hand protection
- Oil resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** 

Nitrile rubber, NBR

PVC gloves

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection Goggles recommended during refilling

<b>SECTION 9:</b>	Physical a	ind chemical	properties

· 9.1 Information on basic physical and chen	nical properties	
· General Information		
· Physical state	Fluid	
· Colour:	Brown	
· Odour:	Mineral-oil-like	
· Odour threshold:	Not determined.	
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.	
· Boiling point or initial boiling point and bo	iling	
range	Undetermined.	
· Flammability	Not applicable.	
• Lower and upper explosion limit		
· Lower:	0,6 Vol %	
· Upper:	6,5 Vol %	
· Flash point:	222 °C	
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.	
		(Cantil an mana)

DE

Printing date 01.06.2023

Version number 3

Revision: 01.06.2023

#### **Trade name: METRON GL 4**

	(Contd. of page
Viscosity:	
· Kinematic viscosity at 40 °C	166 mm <sup>2</sup> /s
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0,884 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	d
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	1 1
VOC (EC)	0,00 %
Change in condition	·
Softening point/range	
Pour point	-33 °C (DIN ISO 3016)
Evaporation rate	Not determined.
Information with regard to physical hazard classe	28
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.

• 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. on page 5)

DE

Printing date 01.06.2023

Version number 3

Revision: 01.06.2023

### Trade name: METRON GL 4

(Contd. of page 4)

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- $\cdot$  Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: Ratte oral : 900 mg/kg
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot$  Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

## · Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Heavily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

Recommendation

When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.

Delivery of waste oil to offically authorised collectors only.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · European waste catalogue

13 02 05\* mineral-based non-chlorinated engine, gear and lubricating oils

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 01.06.2023

Version number 3

Revision: 01.06.2023

Trade name: METRON GL 4

(Contd. of page 5)

SECTION 14: Transport informati	ion	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
· UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

## · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H317 May cause an allergic skin reaction.

- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 7)

DE

Printing date 01.06.2023

Version number 3

Revision: 01.06.2023

# Trade name: METRON GL 4

	(Contd. of page
Department issuing SDS: Product safety department	
Contact: -	
Date of previous version: 20.08.2021	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (Eur International Carriage of Dangerous Goods by Road)	ropean Agreement Concerning th
MDG: International Maritime Code for Dangerous Goods	
ATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
* Data compared to the previous version altered.	